



Jean-Marie Beaulieu

[Bea2017a]

Mean-Shif Polars Image Denoising with Position Tensor

Author: **Beaulieu Jean-Marie**

Conference: Earth Observation Summit 2017

Montreal

20-22 June 2017, p. 1

URL: <https://crss-sct.ca/conferences/csrs2017>

Mean-Shif Polars Image Denoising with Position Tensor,
Beaulieu Jean-Marie,
Earth Observation Summit 2017, Montreal, 20-22 June 2017, p. 1.

DOWNLOAD [from ExOrdo](#) (open access)

© 2017 Jean-Marie Beaulieu

Mean-Shift PolSAR Image Denoising with Position Tensor

* Jean-Marie BEAULIEU¹

1. Laval University (retired professor), 301-3080 Antoine du Verdier, Quebec, QC, G1W4X9, Canada,
jean-marie.beaulieu@ift.ulaval.ca

Abstract

Modes of probability density function (pdf) could be used to define classes or clusters. The mean-shift approach uses a local estimation of the pdf and moves every data points toward the modes. At a data point, we can estimate the local pdf by using a Gaussian kernel. The data point x is moved in the direction of higher density or in the direction of gradient ascent. For a point x , the mean m of surrounding points weighted by a Gaussian kernel is calculated. The direction is given by the difference between x and m . An advantage of the mean-shift technique is that both radiometric (Dr) and spatial (Ds) information could be used in the weighted mean calculation. The spatial distance between pixels is used with a Gaussian weighting function. All the useful information is integrated into the weight $W_{i,j}$ between the window central pixel i and the neighbor pixel j . In a homogeneous area, multi-look PolSAR covariance or coherency pixel values Z_i could be viewed as draw from a Wishart distributed population. The likelihood ratio statistic is generally used to evaluate if two pixel values belong to the same population. The log of the likelihood ratio is used to define the radiometric pixel distance Dr . New radiometric pixel value Z_j is obtained from the weighted mean of neighbor pixels Z_j . At each iteration, the image smoothing is improved. Contours are well preserved because pixels on one side are dissimilar to pixels on the other side. To improve contour preservation, we examine how other contextual information can be integrated into the weight calculation.

Standard image filtering uses only the pixel position, Ds , to define the weight. The mean-shift filtering uses Dr and Ds . The spatial and radiometric dimensions are used to calculate the weights and both information can be updated. As the radiometric value, the pixel position can be moved toward its window mean. Iteratively moving the pixel positions will change the pixel distances and the weight values. The updating of the pixel radiometric values Z_j will be affected. The mean-shift approach allows the integration of other features. We are particularly interested in using the weights to define new attributes. The multi-look coherency or covariance matrix can be viewed as a tensor value calculated from one-look backscatter vectors. We propose to use the weight to define a spatial 2x2 covariance matrix or tensor, S_j . The tensor is the covariance matrix of the relative pixel position, $p_j=(x,y)$, calculated over a window centered at p_i with weight $W_{i,j}$. The tensor captures edge or orientation information. For example, for a pixel on a road, its neighbors that are similar and have a large weight value will be located along the road. If the weights are considered, the neighbor dispersion will follow the orientation of the road. The tensor orientation could now be used in the inter-pixel distance Ds with the use of the Mahalanobis measure. As the other data dimensions, the spatial tensor is also moved toward its mean.

Good results are obtained from a polarimetric SAR image of Mer Bleu area, near Ottawa. We have important noise reduction and smoothing inside fields, while edges and small targets are well preserved. We have more important smoothing than the Lee Sigma filter. We get finer grain and better detail resolution. Results for San Francisco and Oberfaffenhofen images will also be presented.